

SMALL FOUNTS AND WATER CUPS



A Model For Every Application, Every Species



CUPK



CUPQ



2



65

Model 1QW Plastic Super-Start™ Waterer. Bright color attracts fowl. "See-through" jug monitors water level. Exclusive rim guard keeps birds from falling in or splashing others, reducing disease risk. Variable water level...set it low to start, high later. Low profile and wide base permit use in most brooders. Ideal size for starting large breeds or all the way with quail. Quick, easy lock-together design. Nests for easy storage. Trough is 1" (2.54 cm) deep.

Model 2 Plastic Slip-On Mason Jar Fount Base. The strongest, most durable Mason Jar Fount Base made. Exclusive design allows fount to be inverted without spilling a drop. Stands up to 190° F (88° C) heat without warping. Rim around outer edge adds strength.

Model 65 Plastic Threaded Mason Jar Fount Base is popular for chicks and is also widely used as a cricket waterer. High impact styrene construction. Threads on to any one (1) quart small mouth mason jar.

Model 75 Plastic Threaded Drown-Proof Mason Jar Fount Base is designed for quail, bantams, pheasant or any other tiny birds. The trough is narrow enough [1/2" (1.3 cm) wide, 1/2" (1.3 cm) deep] to prevent drownings. Same thread as Model No. 65.

Model O Galvanized Threaded Mason Jar Fount Base: Screws onto a one (1) quart small mouth mason jar. Die-stamped from rust-resisting steel. No seams to leak.

Model P1QT is a one (1) quart plastic jar that can be used with the following bases shown on this page - Models 2, 65, 75 and 0. Note: You can order P1QT jar and our 75 base as Model DPF1.

Models CUPK and CUPQ Plastic Water Cups have tabs for attachment to wire on brooders, cages, batteries and other crates. Use for small animals as well as poultry. Tabs can be cut to fit any cage. Boil and freeze resistant polyethylene construction. Ideal for poultry fanciers. Can be used as feed cups as well (see page 9).



1QW



75



O




DPF1

SMALL FOUNT & WATER CUP SPECIFICATIONS

Model No.	Description	Approx. Water Capacity (liters)	Approx. Bird Capacity	Overall Size	Shipping Wt./Pack		
					Pack	Lbs.	(kg)
1QW	Plastic Super-Start™ Waterer	1 Quart (.95)	12 Chicks	7" Dia x 7 1/2" H (18 cm) x (19 cm)	36	10	(4.5)
MASON JAR FOUNTS <i>Mason Jars are not included with any of the bases listed below.</i>							
2	Plastic Fount Base, Slip-On	1 Quart (.95)	12 Chicks	5 1/2" Dia x 1" D" x 2" H (14 cm) x (2.5 cm) x (5 cm)	48	6	(2.7)
65	Plastic Fount Base, Threaded	1 Quart (.95)	12 Chicks	6" Dia x 1" D" x 1 1/2" H (15 cm) x (2.5 cm) x (4 cm)	36	6	(2.7)
75	Small Bird Plastic Base, Threaded	1 Quart (.95)	15 Quail	4" Dia x 1/2" D" x 1 3/8" H (10 cm) x (1.2 cm) x (4)	1	.2	(.09)
0	Galvanized Fount Base, Threaded	1 Quart (.95)	12 Chicks	5 7/8" Dia x 3/4" D" x 1 1/2" H (15 cm) x (2 cm) x (4 cm)	36	9	(4.1)
P1QT	Plastic Jar	1 Quart (.95)	12 Chicks	3 1/4" Dia x 8 5/8" H (8.2 cm) x (21.3 cm)	36	9	(4.1)
CUPK	Plastic Coop Cup	1 Pint	8 Chicks	3 1/2" W x 4 1/2" L x 2 1/4" H (8.9 cm) x (11.4 cm) x (5.7 cm)	36	6	(2.7)
CUPQ	Plastic Coop Cup	1 Quart	12 Chicks	3 3/4" W x 8" L x 2 1/4" H (9.5 cm) x (20.3 cm) x (5.7 cm)	12	4	(1.8)

BROWER® ONE AND TWO GALLON FOUNTS

*Our 1GF And 2GF Founts Use The Same Base And
Now You Can Interchange The Jars With A Small Bird Base*



ONE GALLON ALL-POLY FOUNT SPECIFICATIONS

Model No.	Description	Water Capacity	Bird Capacity	Dia	Overall Size			Shipping Wt./Pack	
					Trough Depth	Height	Pack	Lbs.	(kg)
1GF	1 Gallon Poly Fount and base	1 gallon (3.8 liters)	60 Chickens	11 (28)	1 3/8 (3.5)	9 (23)	0	Buy Base and Jar Separately	
1GFB	1 Gallon Base Only	-	-	-	-	-	12	6	(2.7)
1GFJ	1 Gallon Jar Only	-	-	-	-	-	12	6	(2.7)
2GF	2 Gallon Poly Fount and Base	2 gallon (7.6 liters)	100 Chickens	11 (28)	1 3/8 (3.5)	16 (40.6)	6	10	(4.6)
1GFQ Bird Fount	1 Gallon Poly (3.8 liters)	1 gallon (3.8 liters)	70 Quail	10 (25.4)	5/8 (1.6)	8 3/8 (21.3)	6	7	(3.2)
2GFQ	2 Gallon Poly Bird Fount	2 gallon (7.6 liters)	120 Quail	10 (25.4)	5/8 (1.6)	15 1/2 (39.4)	6	10	(4.5)
2GF10	2 Gallon Jar Only								
1GFQB	Quail Base Only								

BROWER® ALL-POLY TIP-OVER FOUNTS

Convenient • Durable • Easy To Clean • No Leaks



3GF



5GF



35PB

Our tip over founts are available in 3.5 gallon and 5 gallon capacity. Easy to use...just fill the bucket from any water source, place the poly base over the bucket and tip fount into an upright position. Easy to clean, can't rust, can't leak. Quick filling trough, 2 1/4" (5.7 cm) wide, 2 3/8" (6 cm) deep.

For colder weather use, troughs will fit on our model AEB automatic electric base.



AEB

Model AEB Automatic Electric Fount Base. May be used with any size galvanized fount or with Brower's poly founts. Element carries 1 year guarantee; 100 watt, 115 volt. Model AEB will keep your founts open with temperatures in the single digits in a sheltered area. The AEB is not designed for outdoor use where there is apt to be single digit temperatures (or colder) with a wind chill. For use with our 3GF, 4GF, 5GF and 7GF all poly capacity founts, with any smaller poly fount or with any galvanized fount.

**Tip Over Fount USA Patent Numbers
D334,635 and 5,218,926**

ALL-POLY CAPACITY TIP-OVER FOUNT SPECIFICATIONS

Model No.	Description	Water Capacity	Bird Capacity	Overall Size / Inches (cm)				Shipping Wt./Pack Lbs. (kg)	
				Dia.	Trough Depth	Height	Pack		
3GF	3 1/2 Gallon Tip-Over Fount and Base	3.5 gallon (13.3 liters)	75 Pullets 150 chicks	16 1/2 (41.9)	2 3/8 (6)	12 1/2 (31.8)	3	12	(5.5)
3GF1	Poly Top Only, 3 1/2 Gallon	-	-	-	-	-	3	7	(3.2)
35PB	Poly Base Only, used for both 3GF and 5GF	-	-	16 1/2	2 3/8	-	3	5	(2.3)
5GF	5 Gallon Poly Tip-Over Fount and Base	5 Gallon (18.9 liters)	75 hens 100 pullets	16 1/2 (41.9)	2 3/8 (6)	16 3/8 (41.6)	3	13	(5.9)
5GF1	Poly Top Only, 5 Gallon	-	-	-	-	-	3	8	(3.6)
AEB	Automatic Electric Heater Base, 100 watt, 115 volt	-	-	16 (40.6)	-	3 1/4 (8.3)	1	5	(2.3)

BROWER ALL-POLY TOP-FILL FOUNTS

Maximum Sanitation And Longevity With Brower's Dura-Founts

Use one of our capacity poly founts and you'll never buy another double wall galvanized fount.



4 1/2" (11.4 cm) opening... easy to fill and permits cleaning the inside of the tank.

Seamless tank will not leak.

Tank and trough readily clean. No soldered seams where pathogens can hide. Trough can be removed from tank to further assist cleaning.



Two built-in handles permit fount to be carried - even when full.

Tank is marked in 1 gallon increments for medicating.

Model 7GF, 7 gallon (26.5 liter) capacity

For colder weather use, troughs will fit on our model AEB automatic electric base.



Model 4GF, 4 gallon (15.1 liter) capacity

Tip Fill Fount - USA Patent Numbers D374,952 and 5,829,386

Model AEB Automatic Electric Fount Base. May be used with any size galvanized fount or with Brower's poly founts. Element carries 1 year guarantee; 100 watt, 115 volt. Model AEB will keep your founts open with temperatures in the single digits in a sheltered area. The AEB is not designed for outdoor use where there is apt to be single digit temperatures (or colder) with a wind chill. For use with our 3GF, 4GF, 5GF and 7GF all poly capacity founts, with any smaller poly fount or any galvanized fount.

ALL-POLY CAPACITY DURA FOUNT SPECIFICATIONS

Model No.	Description	Water Capacity	Bird Capacity	Overall Size / Inches (cm)			Pack	Shipping Wt./Pack	
				Dia.	Trough Depth	Height		Lbs.	(kg)
4GF	4 Gallon Poly Poultry Fount	4 gallon (15.1 liters)	75 Pullets 150 chicks	16 1/2" (41.9)	2 3/8 (6)	16 (40.6)	1	5	(2.3)
7GF	7 Gallon Poly Poultry Fount	7 gallon (26.5 liters)	90 hens 140 pullets 140 broilers	16 1/2 (41.9)	2 3/8 (6)	21 5/8 (54.9)	1	7	(3.2)
AEB	Automatic Electric Heater Base, 100 watt, 115 volt	-	-	16 (40.6)	-	3 1/4 (8.3)	1	5	(2.3)

BROWER ALL-POLY CAPACITY WATERERS

More Options!!...We Have A Solution For Every Application

20 GALLON UTILITY FOUNT

Model No.	Description	Water Capacity	Bird Capacity
MPD20	20 Gallon Utility Fount	20 Gallons (75.7 liters)	200 hens



Precise Medicating

Gallon markers (from 12 to 20 gallons in 1 gallon increments). Water level easy to read through translucent tank. Markers allow for water in the trough to be at 1 inch (2.54 cm) below flood stage. See page 28 for more features and specifications.

100% Energy Free Waterer!

Model MPD20

100% ENERGY FREE WATERERS

Model No.	Description	Water Capacity	Bird Capacity
MPM10A	Game Bird Drinker	10 Gallons (37.9 liters)	125 Pheasants



Model MPM10A

For use in flight pens or in other outdoor facilities, invert flaps. For more features and specifications, see pages 34 and 35.


TROUGH WATERER

Valve guard with nylon fasteners



Model UFV600 Float Valve

Heavy duty (yet simple) float valve for tanks, barrels, pans and troughs. Non-corrosive poly (acetal) material. Neoprene seat. For gravity or pressure. Flows about 1 gallon per minute at 60 psi (11/64 opening). Float adjustable for varying water levels. Length 8" plus .5" thread. Thread .5" OD; Internal thread .25" NPT. Wt. 2 oz.



Coated steel wire guard

Model FG200/75DR

TROUGH WATERER SPECIFICATIONS

Model No.	Description	Water Capacity	Bird Capacity	Width	Inches/cm Length	Drink Height	Overall Height	Shipping Lbs.	Wt./Pack (kg)
FG200/75DR	Trough Waterer	2.5 Gallon (9.5 liters)	100 hens	9.0 (22.9)	29.5 (74.9)	4.75 (12.1)	8.0 (20.3)	6.0	(2.7)

NIPPLE POULTRY WATERER

Three Gallons Heated!



Power cord with threaded connection. Removable with cap closure for warm weather storage. 100 Watts. 120 Volts.

Formed handle strong enough to carry full or to suspend. You can also place on a 3.5 gallon bucket or a block.



Model HNW10

3 Gallons (11.4 liter)
15" H (38.1 cm)
12.5" Dia (31.8 cm)
35 Adult Birds
7 lb. (3.2 kg) Ship Wt.

4 nipples around the base. Four extra nipples included.



Lid secured to body with 6 bayonet sliding closures.